

AWARD
WINNING

CAR-O-LINER®



TRU-POINT™
ONE-STOP SOLUTION

EASY AND FAST CALIBRATION WITH PROCESS VALIDATION

Tru-Point™ uses highly accurate, advanced camera technology, targets and top-of-the-line software to quickly uncover any alignment problems a vehicle might have, so you can perform a perfect ADAS calibration.

Tru-Point™ streamlines the process from beginning to end with simple, real-time and interactive visual indicators, eliminating the need for manual measurements or complicated guide references. Our intuitive, ergonomic controls are enhanced by the on-screen indicators to easily and precisely position the system to meet OEM requirements.

FLOOR LEVEL IS CRITICAL FOR PROPER CALIBRATION

This innovative feature automatically compensates for any lack of levelness on the workshop floor. In cases where there is excessive floor deviation, users are prompted to consider adjusting the Tru-Point™ device or strategically repositioning the vehicle for optimal calibration, guaranteeing precision even in challenging operational environments.

Steps Required for a Correct Calibration

It takes more than just pushing a few buttons for a precise ADAS calibration. In order to produce accurate and reliable results, shops must take into account a number of essential steps and follow the appropriate procedures.

01 FLOOR SPACE LIGHTING

ADAS calibrations require open space and proper lighting which our ADAS Specialists can assist you with for successful calibrations.

02 SERVICE INFORMATION

Any damage to the vehicle may damage sensors and cameras. Access to repair procedures is key for returning vehicles to safe operating conditions.

03 VEHICLE ALIGNMENT

Cameras and sensors use different inputs from the vehicle to operate properly. Most OEMs require wheel alignment to be performed prior to ADAS calibration.

04 TARGET PLACEMENT

Accurate target positioning will drive the success of calibration, as well as the shop's productivity and profitability. Most importantly, it needs to follow OEM-specific target placement instructions.

05 SCAN TOOL SOLUTION

Tru-Point is scan tool agnostic. A comprehensive scan tool with ADAS functionality is all you need to complete calibrations. Tru-Point works with aftermarket, OEM, J2534, or remote calibration services.

Tru-Point™ seamlessly adjusts the height of a target, ensuring it remains in the perfect field of view of the camera while moving equipment in the distance.

- OEM COMPLIANT
- VEHICLE ALIGNMENT CHECK
- PROOF OF TARGET PLACEMENT
- COMPENSATE FOR AN UNLEVEL FLOOR
- NO MANUAL MEASUREMENTS




SCAN OR
CLICK TO
LEARN MORE

TRUE FLOOR LEVELLING COMPENSATION



Maximum Precision

Achieving the highest level of precision is no longer a challenge. A simple colour-coded target indicator allows you to easily identify the exact location for target placement, going from red to green. Done!



Validation Report

Tru-Point™ generates a printout report as evidence that the targets were placed according to OEM specifications during the procedure. Not only does the printout list and indicate that the ADAS components were placed correctly around the vehicle for all the possible unique measurement properties, but it also confirms that the vehicle's wheel alignment meets the specifications required for calibration.

- ✔ THRUST LINE / CENTRELINE
- ✔ TARGET HEIGHT
- ✔ DISTANCE FROM VEHICLE
- ✔ RIDE HEIGHT
- ✔ TARGET ROTATION
- ✔ WHEEL ALIGNMENT
- ✔ TARGET POSITION
- ✔ STEERING ANGLE

COMPREHENSIVE COVERAGE TAILORED TO ANY SHOP'S NEEDS

Included	Limited	Premium
✗ Vehicle Spec Update	✔ Vehicle Spec Update	✔ Vehicle Spec Update
✔ Front Camera (VAG included)	✔ Front Camera (VAG included)	✔ Front Camera (VAG included)
✔ Front Radar Cones	✔ Front Radar Cones	✔ Front Radar Cones
✗ Blind Spot	✗ Blind Spot	✔ Blind Spot
✗ Front Radar Plates	✗ Front Radar Plates	✔ Front Radar Plates
✗ Park Assist	✗ Park Assist	✔ Park Assist
✗ 360° View	✗ 360° View	✔ 360° View
✗ Rear Camera	✗ Rear Camera	✔ Rear Camera
✗ Night Vision	✗ Night Vision	✔ Night Vision
✗ Lidar	✗ Lidar	✔ Lidar
✗ Manual Mode	✗ Manual Mode	✔ Manual Mode
✗ WWG	✗ WWG	✔ WWG

OEM Compliant


Tru-Point™ was specially designed to enhance the productivity of ADAS calibration procedures, and to increase confidence that the process is conducted in compliance with OEM-recommended guidelines.

TRU-POINT™
ONE-STOP SOLUTION


Partners



Click
or Scan



COVERAGE GUIDE



INSTRUCTIONAL VIDEOS


Tru-Point™

Technical Specifications

Tyre Size (AC400)	19"–39" 48–99 cm
Dimensions (HxWxD)	Arms Extended: 82"x113"x30"
	208x287x76 cm
	Arms Folded: 82"x53"x30"
Weight	208x135x76 cm
	Equipment: 376 lb 171 kg
Power Requirements	Shipping: 512 lb 232 kg
Display	100–240V
	24" TFT

Standard	Optional
Two Wheel Chock	Target Storage Cart
AC400 Clamps	

Warranty
24 months parts and labour



ssm23025 Tru-Point - Car-O-Liner - EU Nordic



Snap-on® Total Shop Solutions offers a wide range of garage equipment solutions for workshops, garages, car dealers and tyre shops, thanks to the specific solutions provided by its portfolio of premium brands. Car-O-Liner is a brand of TSS and is committed to product innovation and improvement. Therefore, specifications listed in this sell sheet may change without notice. ©2023 Snap-on Incorporated. Car-O-Liner is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All rights reserved. All other marks are marks of their respective holders. ss#0000 06/2023

CAR-O-LINER®
car-o-liner.com